

Revision Date: 01-22-2016

SAFETY DATA SHEET

1. Identification

Product identifier: AMMONIUM HYDROXIDE

Other means of identification

Product No.: 9380, 5800, 0889, 9718, 4807, 3261, 3258, 3256, V222, V188, 6665,

H893, 5980, 5820, 5817, 9741, 9733, 9731, 9721, 5604, 5358, 37826

Recommended use and restriction on use

Recommended use: Not available.
Restrictions on use: Not known.

Details of the supplier of the safety data sheet

Manufacturer

Company Name: Avantor Performance Materials, Inc. Address: 3477 Corporate Parkway, Suite 200

Center Valley, PA 18034

Telephone: Customer Service: 855-282-6867

Fax: 610-573-2610

Contact Person: Environmental Health & Safety E-mail: info@avantormaterials.com

Emergency telephone number:

CHEMTREC: 1-800-424-9300 within US and Canada CHEMTREC: 1-703-527-3887 outside US and Canada

2. Hazard(s) identification

Hazard Classification

Health Hazards

Acute toxicity (Oral)

Skin Corrosion/Irritation

Category 1

Serious Eye Damage/Eye Irritation

Category 1

Specific Target Organ Toxicity
Category 3

Single Exposure

Environmental Hazards

Acute hazards to the aquatic Category 1 environment

Label Elements

Hazard Symbol:



Signal Word: Danger



Revision Date: 01-22-2016

Hazard Statement: Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

Very toxic to aquatic life.

Precautionary Statement

Prevention: Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke

when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Avoid

release to the environment.

Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a POISON

CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Collect spillage.

Storage: Store locked up. Store in a well-ventilated place. Keep container tightly

closed.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
AMMONIUM HYDROXIDE		1336-21-6	18 - 72%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information: Get medical advice/attention if you feel unwell. If medical advice is needed,

have product container or label at hand.

Ingestion: Call a physician or poison control center immediately. Do not induce

vomiting. If vomiting occurs, the head should be kept low so that stomach

vomit doesn't enter the lungs.

Inhalation: Move to fresh air. Call a physician or poison control center immediately.

Apply artificial respiration if victim is not breathing If breathing is difficult,

give oxygen.

Skin Contact: Immediately flush with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Call a physician or poison control center immediately. Wash contaminated clothing before reuse.

Destroy or thoroughly clean contaminated shoes.



Revision Date: 01-22-2016

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Call a physician or poison control center

immediately.

Most important symptoms/effects, acute and delayed

Symptoms: Causes severe skin burns and eye damage.

Hazards: Corrosive.

Indication of immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards: In case of fire and/or explosion do not breathe fumes.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Water spray, fog, CO2, dry chemical, or regular foam.

Unsuitable extinguishing

media:

None known.

Specific hazards arising from

the chemical:

Fire may produce irritating, corrosive and/or toxic gases.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to

flames with water until well after the fire is out.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Keep unauthorized personnel away. Keep upwind. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS

for Personal Protective Equipment.

Methods and material for containment and cleaning

up:

Neutralize with lime or soda ash. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill

for later recovery and disposal.

Notification Procedures: Inform authorities if large amounts are involved.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate

water sources or sewer. Avoid discharge into drains, water courses or onto

the ground.



Revision Date: 01-22-2016

7. Handling and storage

Precautions for safe handling: Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Do

not taste or swallow. Use only with adequate ventilation. Wash hands thoroughly after handling. See Section 8 of the SDS for Personal Protective

Equipment.

Conditions for safe storage,

including any incompatibilities:

Keep container tightly closed. Store in a well-ventilated place. Do not store

in metal containers.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Soupational Exposure Ellints							
Chemical Identity	type	Exposure Limit Values		Source			
AMMONIUM HYDROXIDE	STEL	35 ppm		US. ACGIH Threshold Limit Values (2011)			
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2011)			
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)			
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)			
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)			
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)			

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the

immediate work area.

Eye/face protection: Wear safety glasses with side shields (or goggles) and a face shield.

Skin Protection

Hand Protection: Chemical resistant gloves

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator.

Hygiene measures: Provide eyewash station and safety shower. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state:liquidForm:liquidColor:Colorless



Revision Date: 01-22-2016

Odor: Ammonia odor
Odor threshold: No data available.

pH: 13.8
Melting point/freezing point: -74.4 °C
Initial boiling point and boiling range: 27 °C

Flash Point:not applicableEvaporation rate:No data available.Flammability (solid, gas):No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

Vapor pressure: 288 kPa

Vapor density:No data available. **Relative density:**0.90 (20 °C)

Solubility(ies)

Solubility in water:
Solubility (other):

Partition coefficient (n-octanol/water):

Auto-ignition temperature:

Decomposition temperature:

Viscosity:

Completely Soluble

No data available.

No data available.

No data available.

No data available.

10. Stability and reactivity

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Hazardous polymerization does not occur.

Conditions to avoid: Excessive heat.

Incompatible Materials: Strong oxidizing agents. Acids. Metals. Halogens. Water. Nitromethane.

Hazardous Decomposition

Products:

Nitrogen Oxides ammonia

11. Toxicological information

Information on likely routes of exposure

Ingestion: Harmful if swallowed. May cause burns of the gastrointestinal tract if

swallowed.

Inhalation: Severely irritating to respiratory system.

Skin Contact: Causes severe skin burns.

Eye contact: Causes serious eye damage.



Revision Date: 01-22-2016

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: LD 50 (Rat): 350 mg/kg

Dermal

Product:

No data available.

Inhalation

Product: No data available.

Repeated dose toxicity

Product: No data available.

Skin Corrosion/Irritation

Product: Causes severe skin burns.

Serious Eye Damage/Eye Irritation

Product: Causes serious eye damage.

Respiratory or Skin Sensitization

Product: Not a skin sensitizer.

Carcinogenicity

Product: This substance has no evidence of carcinogenic properties.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No mutagenic components identified

In vivo

Product: No mutagenic components identified

Reproductive toxicity

Product: No components toxic to reproduction

Specific Target Organ Toxicity - Single Exposure

Product: Respiratory tract irritation.

Specific Target Organ Toxicity - Repeated Exposure

Product: None known.

Aspiration Hazard

Product: Not classified

Other effects: None known.



Revision Date: 01-22-2016

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: LC 50 (Western mosquitofish (Gambusia affinis), 96 h): 15 mg/l

Aquatic Invertebrates

Product: LC 50 (Water flea (Daphnia magna), 48 h): 0.66 mg/l

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic Invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: Expected to be readily biodegradable.

BOD/COD Ratio

Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product: No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow) Product: No data available.

Mobility in Soil: The product is water soluble and may spread in water systems.

Other Adverse Effects: Very toxic to aquatic life.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: Since emptied containers retain product residue, follow label warnings even

after container is emptied.



Revision Date: 01-22-2016

14. Transport information

DOT

UN Number: UN 2672

UN Proper Shipping Name: Ammonia solutions

Transport Hazard Class(es)

Class(es): 8
Label(s): 8
Packing Group: III
Marine Pollutant: Yes
Special precautions for user: -

IMDG

UN Number: UN 2672

UN Proper Shipping Name: AMMONIA SOLUTION (WITH 10-35% AMMONIA)

Transport Hazard Class(es)

Class(es): 8 Label(s): 8

EmS No.: F-A, S-B

Packing Group: III
Marine Pollutant: Yes
Special precautions for user: –

IATA

UN Number: UN 2672

Proper Shipping Name: Ammonia solution

Transport Hazard Class(es):

Class(es): 8
Label(s): 8

Marine Pollutant: Yes
Packing Group: III
Special precautions for user: -

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u> <u>Reportable quantity</u>

AMMONIUM 1000 lbs.

HYDROXIDE

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate)

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

Chemical Identity Reportable quantity

AMMONIUM 1000 lbs.

HYDROXIDE



Revision Date: 01-22-2016

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u> <u>Threshold Planning Quantity</u>

AMMONIUM HYDROXIDE 10000 lbs

SARA 313 (TRI Reporting)

Reporting Reporting threshold for manufacturing and

Chemical Identityother usersprocessingAMMONIUM10000 lbs25000 lbs.HYDROXIDE

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Chemical Identity Reportable quantity

AMMONIUM Reportable quantity: 1000 lbs.

HYDROXIDE

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Water

AMMONIUM HYDROXIDE

US. Massachusetts RTK - Substance List

Chemical Identity

AMMONIUM HYDROXIDE

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Water

AMMONIUM HYDROXIDE

US. Rhode Island RTK

Chemical Identity

AMMONIUM HYDROXIDE

Inventory Status:

Australia AICS: On or in compliance with the inventory Canada DSL Inventory List: On or in compliance with the inventory EINECS, ELINCS or NLP: On or in compliance with the inventory Japan (ENCS) List: On or in compliance with the inventory China Inv. Existing Chemical Substances: Not in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory Canada NDSL Inventory: Not in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory On or in compliance with the inventory **US TSCA Inventory:** New Zealand Inventory of Chemicals: On or in compliance with the inventory Japan ISHL Listing: Not in compliance with the inventory. Japan Pharmacopoeia Listing: Not in compliance with the inventory.

16.Other information, including date of preparation or last revision



Revision Date: 01-22-2016

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 01-22-2016

Revision Date: No data available.

Version #: 2.0

Further Information: No data available.

Disclaimer: THE INFORMATION PRESENTED IN THIS MATERIAL SAFETY DATA

SHEET (MSDS/SDS) WAS PREPARED BY TECHNICAL PERSONNEL BASED ON DATA THAT THEY BELIEVE IN THEIR GOOD FAITH

JUDGMENT IS ACCURATE. HOWEVER, THE INFORMATION PROVIDED

HEREIN IS PROVIDED "AS IS," AND AVANTOR PERFORMANCE MATERIALS MAKES AND GIVES NO REPRESENTATIONS OR WARRANTIES WHATSOEVER, AND EXPRESSLY DISCLAIMS ALL

WARRANTIES REGARDING SUCH INFORMATION AND THE PRODUCT TO WHICH IT RELATES, WHETHER EXPRESS, IMPLIED, OR

STATUTORY, INCLUDING WITHOUT LIMITATION, WARRANTIES OF

ACCURACY, COMPLETENESS, MERCHANTABILITY, NON-

INFRINGEMENT, PERFORMANCE, SAFETY, SUITABILITY, STABILITY, AND FITNESS FOR A PARTICULAR PURPOSE, AND ANY WARRANTIES ARISING FROM COURSE OF DEALING, COURSE OF PERFORMANCE, OR USAGE OF TRADE. THIS MSDS/SDS IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PROPERLY TRAINED PERSON USING THIS PRODUCT, AND IS NOT INTENDED TO BE COMPREHENSIVE AS TO THE MANNER AND CONDITIONS OF USE, HANDLING, STORAGE, OR DISPOSAL OF THE PRODUCT. INDIVIDUALS RECEIVING THIS MSDS/SDS MUST ALWAYS EXERCISE THEIR OWN INDEPENDENT JUDGMENT IN

DETERMINING THE APPROPRIATENESS OF SUCH ISSUES.
ACCORDINGLY, AVANTOR PERFORMANCE MATERIALS ASSUMES NO LIABILITY WHATSOEVER FOR THE USE OF OR RELIANCE UPON THIS

INFORMATION. NO SUGGESTIONS FOR USE ARE INTENDED AS, AND NOTHING HEREIN SHALL BE CONSTRUED AS, A RECOMMENDATION TO INFRINGE ANY EXISTING PATENTS OR TO VIOLATE ANY FEDERAL, STATE, LOCAL, OR FOREIGN LAWS. AVANTOR PERFORMANCE

MATERIALS REMINDS YOU THAT IT IS YOUR LEGAL DUTY TO MAKE

ALL INFORMATION IN THIS MSDS/SDS AVAILABLE TO YOUR

EMPLOYEES.