

# Tropical Rainforests

lush, equatorial evergreen forests

→ a belt of green extending  $\geq 10^\circ$  N & S of equator

one of oldest of terrestrial ecosystems

once covered 20% of earth's land surface

→ millions of years ago would have looked very similar from the air as it does today

→ fossil evidence indicates tropical rainforests have existed since the Cretaceous (>60MY ago)

## Location

Amazon in Brazil – world's largest  
central and So America,  
Africa  
SE Asia

tropical rainforests are extremely **diverse**

encompass 6% of earth's surface

support ~half of all known species

some estimate that less than 5% of all tropical species have been identified

descriptions of rainforest ecosystems tend to stress the remarkable or unusual

but standing inside to untrained eye it wouldn't look particularly distinctive

the diameter of most trees is not unusual

buttresses are found in many large trees even in temperate forests

vines are commonplace as are epiphytes

## Rainforest Diversity

the uniqueness of the rainforest ecosystem is in its

great diversity of life and in its complex layering of habitats

## **Abiotic Features**

### **1. Climate**

warm temperature – constant throughout the year

wet → high precipitation almost daily (200-450cm: 80-180"/yr)

much of rainfall comes from locally recycled water from forest transpiration

→ rainforest creates its own climate!

### **2. Soil**

ancient soil

one paradox of the lush tropical rainforest is that the soil is nutrient poor

soil of rainforest is some of poorest of all forest soil

organic matter is decomposed rapidly

→ rapid recycling of nutrients

→ the nutrients are held in living organisms  
not in the soil

soil is just for anchoring the plants

causes roots of tropical trees to be shallow

many actually grow above ground to get quick  
access to newly falling leaves

when trees are cut and removed most of the  
nutrients are removed with them

when land is cleared and converted to agriculture  
or other use it can only be used a couple of years without massive  
additions of fertilizers

→ results in slash and burn; use an area for 2 or 3  
years then clear another area

### **3. Light**

intense competition for light

tropical forests have more leaves/area than other forests  
→ due to stratification

make optimal use of sunlight

leads to stratification of plants and animals into 6 or 8 "layers"

a fully developed rainforest has 3 or 5 layers (strata):

**upper story** (>50M; >160'):

crowns of tall trees  
entirely exposed to sun  
more air movement  
more temperature and humidity extremes

**middle story** (30-40M; 100-130')

dense, forms continuous canopy of leaves that  
trap most of the remaining sunlight  
air currents are blocked so humidity is greatly  
increased

**understory** (ground level to several m)

dark, humid → somewhat rivals a cave in constancy  
shrubs and herbs specialized for life in the  
shade and seedlings of taller trees

seedlings of large trees must adapt to conditions of  
each level as they grow toward the canopy

## **Biotic Features**

general features that characterize the tropical rainforests:

tall, straight, disproportionately slender tree trunks forming  
complex canopy with several distinct "life layers" or strata  
eg. some grow to over 200' tall

trees often buttressed at base

relatively open understory due to lack of light

little forest litter since it is rapidly decomposed

numerous vines and epiphytes including orchids & bromeliads  
especially diverse array of birds, ants, termites and other insects

### **Plants**

trees usually evergreen flowering plants (not conifers)

timing of leaf fall, flowering or fruiting is most closely related to seasonality in rainfall, not temperature

roots often shallow and form interconnected mat up to 1 M thick

buttress roots help support taller trees

trees support extensive communities of smaller epiphytic plants:  
orchids, bromeliads

tropical vines grow up trees to find light  
(when young grow away from light!)

### **Animals:**

in various strata, the available foods, modes of locomotion and ability to conceal vary greatly

eg. in treetops, animals can obtain large quantities of plant foods; leaves, flowers, fruits

most have limbs adapted to climbing or swinging, jumping and gliding

many of the birds, bugs, frogs of treetops rarely come down to ground level

the mosquitoes of canopy are different species than those found at ground level

eg. ground mammals – little or no climbing ability and depend for food largely on fruits and other plant materials that drop from above

also extremely diverse, and occurs in layers  
monkeys,  
sloths,  
great diversity of insects,  
reptiles,  
amphibians

colorful exotic birds

rainforests are the most complex ecosystems on earth  
with highest diversity of any terrestrial biome

→ more biomass and more species than any other  
ecosystem on earth

eg. 830 B tons of living matter on earth's surface  
460 B tons (55%) are in tropical forest ecosystems

eg. temperate forests are often dominated by 1 or 2  
tree species

rainforests have many dominant species

eg. 1 hectare (2.2 acres) has >200 species of trees  
with trunks >12" diameter

[in New England forest ~10-25 species in same  
area]

eg. 90 species of frogs and toads in a few km  
→ more than all species in whole USA

eg. in 300 sq mi of rainforest up to 600 bird species  
were found → more than 4 x's number that is found in  
eastern US forests

eg. 1 tree yielded 54 species of ants

eg. 2000 sweeps of a net in ground level of Central  
American forest yielded 500 species of insects; usually  
much higher diversity in mid and upper level of canopy

eg. of 19 trees in one panama study 1200 species of  
beetles were collected and 80% of them were new  
species

→ reservoir for genetic diversity

### **Threats To Rainforest Ecosystems**

Rainforests today are rapidly being destroyed

the destruction is larger in scale and much quicker than

the forests lost to spread of western civilization across Eurasia and N America

it no longer forms an unbroken band along the equator

each year 5.8 Million hectares are destroyed (2002)

another 2.3 Million hectares are degraded (2002)

→ each year area size of Washington State is cleared  
= size of football field lost each second

~1/3<sup>rd</sup> has already been destroyed;

→ what is left is less than area of US  
(6M km<sup>2</sup> (2.3Mmi<sup>2</sup>))

the highest *rates* of deforestation are in SE Asia

→ ~1/2 if it is in 3 countries: Brazil, Zaire, Indonesia

Brazil is losing the **largest amount** of forest land/yr but since it also has the world's largest existing area of rainforests its rate of loss is less

because of thin soil layer clearing rainforest leads to its permanent destruction

### major causes of deforestation:

#### 1. subsistence agriculture

(**slash and burn**) (50-75%)

33,000 mi<sup>2</sup>/yr

#### 2. commercial logging (15-20%)

11,400 mi<sup>2</sup>/yr

#### 3. cattle ranching (10-15%)

5700 mi<sup>2</sup>/yr

### 1. Subsistence Agriculture

#### (Slash and Burn Farming)

soil productivity declines quickly

soil fertility declines

soil erosion increases

regional climate changes

→ more severe flooding and droughts

species extinctions

effective for only 2-3 years

→ then repeat in new area

need 20-100 years for recovery

was once done sustainable

entire Amazon jungle was farmed at one time or another during human history

small areas were used for one season then abandoned to allow regeneration

quicker recovery since not all the nutrients were removed

some native people today farm sustainably by planting crops in long rows along foot paths rather than destroying forest

## **2. Wood Collecting & Commercial Logging**

### **firewood**

~ half of wood cut worldwide is used for fuel wood and charcoal

→ mostly in developing countries

>1/2 people in world depend on firewood or charcoal as main source of heating and cooking fuel

~1.5 B people can no longer find enough  
ave =  $\sim 1\text{m}^3/\text{person}/\text{yr}$

### **lumber**

lumber, plywood, veneer, particleboard

total world wood consumption  
~ 3.7 B tonnes/yr ( $3.7\text{ B m}^3/\text{yr}$ )

exceeds use of steel and plastic combined

developing countries produce >1/2 and use ~20%

timber could be harvested sustainably but today only  
~0.1% is logged this way

Asian companies dominate rainforest logging worldwide

eg. 2006→ China is now the largest importer of illegally cut timber from tropical rainforests

US and UK are its two biggest markets for the furniture made from this illegal lumber

eg. Japan consumes 1/3<sup>rd</sup> the worlds wood exports  
45% of this is from SE Asia

includes 11 Bil prs of disposable chopsticks  
→ enough wood for 15,000 Japanese style  
houses/yr

### **3. Cattle Ranching & Grazing**

effective for only 6-10 years  
almost all cattle are exported for fast foods

### **Solutions to the Problem**

is anything being done to solve the problem?

1. programs to pay indigenous peoples for medicines derived from rainforest plants
2. boycotts of beef from cattle raised in pastures once rainforests

→ these efforts have had only slight effect on slowing the rate of rainforest destruction

### **Economic Value of Forests**

although societies value nature in many ways  
traditionally most of this "value" has never been converted to monetary terms

→ in terms of economy, a tropical rainforest, or coral reef is not worth a cent until it is cut for lumber, harvested, drained and filled for housing, etc

→ cost/benefit analysis always favors the destruction of a natural resource NOT its sustainable use

financial benefits from natural resources are given to private individuals and companies

*but*

costs of any loss are distributed across society  
= "**social costs**"

→ *there is little economic incentive for those*



*exploiting a resource to use it judiciously*

eg. globally, government subsidies and programs  
shunt >\$800 Bil/yr (98) toward activities that harm the environment

the least sustainable and truly profitable use of forests  
is for the production of a single commodity  
→ yet this is exactly what economics  
encourages

eg. Indonesian forests  
\$3,600/ha → timber only  
\$4,800/ha → non timber uses:  
fish, products, erosion control, etc

by not cutting these forests they could produce over  
\$35 M/yr in sustainable use for 70% of the local  
population

our market system should reflect, not hide, ecological  
realities of our economy

more recently, conservationists have attempted to  
apply marketing economics to attach a monetary value to “**nature’s  
services**” provided if the forest is NOT destroyed:  
watershed protection  
biodiversity conservation

need to develop “**ecological pricing**” schemes  
restructure costs, taxing, subsidies to reflect the  
true value

>100 different studies have concluded that the current  
economic value of the world’s ecosystems is *at least* \$16-54 Trillion/yr  
exceeds GWP of \$28 T/yr

→if every service of every ecosystem type were  
measured the figure would be much higher

eg. Ecological Pricing of 1 hamburger  
factor in value lost of forests destroyed to create range land  
for cattle  
→ \$200

how to calculate “ecological pricing”

known 1 time "market" values must be balanced  
with LOSS of value of sustainable uses

also need to factor in value of "nature's services"

## 1. Sustainable Uses

timber could be harvested sustainably but today only  
~0.1% is logged this way

eg. food, fiber, fuels, fertilizers, art objects, etc

providing these services requires healthy ecosystems

eg rattan trade (Asia)  
\$2.7 Bil/yr

in Thailand value of Rattan exports is 80% of legal  
timber exports

eg. market for 4 "obscure" plants in Oregon forests:  
beargrass, huckleberries, solal and sword fern  
= \$72 Mil/yr

1989 study (Peters, Gentry, Mendelsohn, Nature June 29,1989)  
estimate:

that the net value of sustainable collection and  
sale of fruits, oils, rubber, and medicines from Amazonian rain  
forest would generate over \$6330/ha/yr

vs cutting a rain forest for timber yields \$1000/ha  
for one time use or \$490/ha/yr from selective cutting

or tree plantation on a hectare of cleared forest is  
worth \$3184/yr

or pastureland on one ha of cleared forest is worth  
\$2960/yr

## 2. Release Significant Amounts of O<sub>2</sub>

amt of O<sub>2</sub> produced by all the world's forests  
= 55,490,000,000 metric tons/yr or 16.9 tons per hectare

contribution of tropical rain forests = 15,300,000,000 or 28 tons per hectare per yr.

- represents only a small fraction of O<sub>2</sub> in atmosphere
  - probably the amt used by microorganisms decomposing dead organic matter

## 3. essential role in global carbon cycle

trees remove CO<sub>2</sub> and store it  
= **carbon sequestering**

burning rainforests puts 2.4 B tons of CO<sub>2</sub> into atmosphere each year

globally, tropical deforestation releases 20-30% of human produced greenhouse gasses

- conserving forests could reduce emissions
  - cost/benefit analysis found this a greater benefit than money derived from agriculture or logging

### Effects on Climate

forests modify climate in their area

not sure if the loss of all the world's rainforests will have a significant effect on world climate  
releases CO<sub>2</sub> into the air

eg. 1 ha of "carbon storage" function of forests  
~ \$3000 value

## 4. Waste recycling, water purification, & pollution control

roots reduce soil erosion, and create new soil

absorb, hold and slowly release water  
→ making it available in dry periods and

reducing flooding

recharge groundwater

plants, bacteria, fungi can remove toxins from air,  
water and soil:

eg. CO<sub>2</sub> and SO<sub>2</sub> are removed by vegetation

eg. CO is removed by soil microorganisms

eg. NO<sub>x</sub> is removed by fungi and bacteria

worms, insects and microorganisms create and  
aerate soil and recycle nutrients

water purification and storage is a major part of  
the water cycle

eg would cost \$100,000/yr to duplicate water  
purification and fish propagation value of 1 acre of wetland

eg. estimates for value of water recharge and storage  
services near large cities = \$40,000/ha

eg. for each 1% increase in wetlands, downstream flooding  
increases 3% -4%

eg. total losses due to unsustainable wetland and soil  
practices:

US	=	\$44 B/yr
World	=	\$400 B/yr

## 5. Protection of Biodiversity

tropical rainforests are some of the worlds greatest outdoor laboratories

also monuments to natural wealth

→ far older than the human species

forests offer habitat and refuge for diversity &  
commercially important species

livestock forage, water resources, fish and wildlife habitat, etc

a fundamental service provided by nature is  
ensuring that ecosystems are relatively  
**stable** and **resilient**

= the ability to withstand disturbance and bounce back  
as ecosystems are affected by human activities they become  
simplified

and become more brittle and more vulnerable to decline

some species act as "keystone species"

→ their destruction would likely  
permanently alter the ecosystem in which they are  
found

cause a dramatic loss of species

wetlands have been converted to intensive aquaculture in several  
countries:

eg. Phillipines: 78% of coastal wetlands

eg. Ecuador 70% of coastal wetlands

→ can bring \$11,600/ha/yr for ~ 5-10 yrs

using natural mangroves for fish, game, fuel,  
wood, medicines etc could bring \$1000-10,000/yr indefinitely

**enormous future wealth in the variety of  
organisms if ecosystem is preserved**

→ contribute to basic biological theory

→ pharmaceuticals

if forests and their inhabitants are used sustainably it could be a continuing  
source of these and as yet unknown commercial products

**a. Future Industrial Chemicals & Products**

many important compounds come from or  
were 1<sup>st</sup> discovered in wild organisms

eg. rubber tree, antibiotics, aspirin, dyes, foods  
and spices, paper & clothing, etc

**b. Future Medicines and Pharmaceuticals**

US → 25% of all prescriptions and 60% of non  
prescription drugs contained active cmpds extracted from  
natural products (1996)

global pharmaceutical industry = \$200B/yr  
→ global forest derived drugs ~\$40-100 B/yr

eg. digitalis → heart  
quinine → malaria  
antibiotics → fungi  
aspirin → pain relief  
taxol → anticancer

of 76 pharmaceutical products derived from plants only  
→ 6 can be artificially synthesized at commercial levels

in some cases, collecting medicinal plants  
provides significant income to indigenous peoples

eg. Belize- gathering medicinal plants yields 2-10  
x's the annual income of slash/burn farmers

not just plants, all kinds of organisms

eg. microorganisms (bacteria and fungi)  
→ produce over 3000 antibiotics

eg. snakes → antivenoms, anticoagulants  
amphibians → neurochemicals

only ~1% of rainforest species have been  
examined for their potential uses

only ~5% of all plant species worldwide have  
been screened for pharmacological substances

eg. of 275 species found in 1 ha of rainforest  
→ 72 species yielded products that could be  
exploited for direct economic gain

eg. of 842 individual trees  
→ 350 yielded products with direct economic  
value

“potential” commercial products were not  
recognized as valuable until recently

eg. rubber tree's uses were completely unknown  
150 yrs ago

est loss of potential pharmacological value  
from plants that have already become extinct  
= \$12 B in US alone

the more rare species that grow under unusual  
conditions are often the ones most important and most likely  
to be destroyed

### **c. Gene banks for agriculture and livestock**

foundation for all agricultural plants and animals

all modern crop varieties were originally produced using native  
plants

traits were selected over 100's or 1000's of years

most crops in US are domesticated species from tropics

1. inbred species require gene infusions

maintaining wild varieties of crop plants allows us  
to select for new traits or revitalize aging genetic stock

2. may want to look for new genes in same  
species that might be useful

eg. 1.5 M acres of California farmland is  
threatened by salinization

→ trying to find salt tolerant strains of plants  
that can grow there

eg. 1970 So Corn leaf blight  
1<sup>st</sup> in Fla → wiped out \$1 B corn  
all US corn was based on 6 inbred lines  
now have a resistant strain to this disease

3. also, many countries have "Germ Plasm  
Repositories" for domestic crops.

but some seeds, esp larger seeds, lose  
viability after a few years.

seeds are planted and new seeds are collected

may need to collect new wild seeds to  
augment diminishing seed stores

est value of "gene banks" (crop ancestors) = \$66 B

## 6. Ecotourism

used for recreation

→ observations and appreciation of wildlife and natural areas

US protects ~ 3% of all US land; >76M acres in alaska alone

→ roads, timbering, motor vehicles etc are all prohibited

these areas are strictly controlled and are  
open to hiking, camping, canoeing

### Parks

→ more intensive use; less fragile areas

US Natl Park Service was established >100 yrs  
ago with estab of yellowstone

established "to preserve natural areas of public  
lands considered unique because of scenery, history,  
wildlife, etc"

parks preserve another 76M acres in US

>100 countries have adopted our system of parks as a model

parks are intensively used

unfortunately while visitation has increased,  
maintenance budgets have been reduced  
→ lead to commercialization of parks  
with increased vandalism, crime and crowds

tourism dollars are valuable commodities:

eg. Kenya

→ tourism is the largest single source of  
income for the country

eg. Companies hiring in Oregon have found



that potential employees are willing to take less pay  
(?\$500/month)

→ combined total is = to all states lumber  
and wood products payrolls

## **7. Social Values & Human Costs of Nonsustainable Uses**

as rainforests are cleared the indigenous peoples usually suffer

greater chances of droughts or floods  
new agricultural pests  
loss of topsoil  
sedimentation of streams and rivers  
diminished yields from their crops  
fewer fish in streams  
shrinking supplies of game, fruits, nuts

rising:        alcoholism  
                  drug abuse  
                  domestic violence  
                  homelessness  
                  emigration

## **8. Aesthetic, Cultural, Moral and Ethical Values**

eliminating a few species won't cause ecosystem collapse

probably won't irreversibly affect human progress

**but**

Do we have the right to "play god"  
not only with individual lives  
but with whole species and ecosystems

we don't have "divine permission" to kill them

Do species have a moral right to exist  
independently of our need for them

→ we must be global stewards

***"If I decide to accept your offer to buy our land, I will make one condition. The white man must treat the beasts of this land as his brothers. I am a savage and do not understand***

***any other way. I have seen a thousand rotting buffaloes on the praries left by the white man who shot them from a passing train. What is man without the beasts? If all the beasts were gone, men would die from great loneliness of spirit, for whatever happens to the beasts also happens to the man. All things are connected. Whatever befalls the earth, befalls the sons of the earth."***

- Chief Seattle

also biological diversity adds to our quality of life

eg. landscape beauty: birds, flowers, wildlife, etc

some animals and plants have cultural significance

others we may never "see" in nature, but its nice to know they are there

eg narwhales, rainforests, etc

"Human intelligence is bound to the presence of animals...they further, throughout our lives a refining and maturing knowledge of personal and human being"

-Paul Shepard

'Thinking Animals'